

RICHLOOM SHANG HAI TRADING LTD
8F, FEIZHOU INTERNATIONAL QUAR NO.899, LINGLING ROAD

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description : (A) Woven fabric in available
Style No. : PALIS PRINTED
Buyer : USA
Manufacturer : richloom

Proposed Care Instruction : -

Sample Receiving Date : Dec 26, 2025
Testing Period : Dec 26, 2025 - Jan 04, 2026
Test Result(s) : Unless otherwise stated the results shown in this test report refer only to the sample(s) tested, for further details, please refer to the following page(s).

Test Performed : Selected test(s) as requested by applicant

Conclusion	A	Remark
Color Fastness To Light	*	
Flammability Test	Pass	
Cigarette Ignition Resistance of Components of Upholstered Furniture	*	

Remark(s) : Pass=Meet General's Requirement
*= No Specific Requirement

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd

Eric chen

Eric Chen (Account Executive)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.
Softline Laboratory

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666
t (86-21) 61402666

f (86-21) 64958763
f (86-21) 64958763

www.sgsgroup.com.cn
sgs.china@sgs.com

Test Result

Color Fastness To Light

(AATCC TM16.3-2020, Option 3; Xenon Arc Lamp)

As Received

After 40 AFU

-	Unit	A	Requirement
Change in Shade	Grade	4.0	-

Remark: Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is worst and 5 is best.

Smolder Resistance Test of Materials Used in Upholstered Furniture

(California Technical Bulletin 117-2013)

Section 1: Cover Fabric Test

Sample (A)

Test results

Specimen No.	Duration of smoldering (min:sec)	Open flaming (Yes/No)	Vertical char length (mm)	Comments
1	19min45sec	No	18	Pass
2	21min18sec	No	18	Pass
3	20min27sec	No	18	Pass

Pass/fail criteria:

- A single mock-up test specimen fails to meet the requirements of this test procedure if any of the following criteria occurs:
 - The mock-up test specimen continues to smolder after the 45 minute test duration.
 - A vertical char length (measured as specified in step 11.9 of ASTM E1353-08a ^{ε1}) of more than 1.8 inches (45 mm) develops on the cover fabrics.
 - The mock-up test specimen transitions to open flaming.
- The cover fabric passes the test if three initial mock-up specimens pass the test.
- If more than one initial specimen fails, the cover fabric fails the test.
- If any one of the three initial specimens fails, repeat the test on additional three specimens.
- If all three additional specimens pass the test, the cover fabric passes the test. If any one of the additional three specimens fails, the cover fabric fails the test.

Conclusion:

The Submitted Sample **meets** the flammability requirements of Section 1 for Cover Fabric Test of California Technical Bulletin 117-2013.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

SGS-CSTC (Shanghai) Technical Services Co., Ltd.
Softline Laboratory

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666
t (86-21) 61402666

f (86-21) 64958763
f (86-21) 64958763

www.sgsgroup.com.cn
sgs.china@sgs.com

Cigarette Ignition Resistance of Components of Upholstered Furniture#

(National Fire Protection Agency (NFPA) 260-2024)

Cover Fabric Test

Sample: (A)

Conditioning:

All test upholstery fabrics and test materials, including cigarettes and sheeting material, shall be conditioned at a temperature of 21°C±2.8°C and a relative humidity of less than 65 percent for at least 4 hours prior to testing.

Test results:

Specimen No.			1	2	3
Duration time (min: sec)			20min35sec	22min31sec	21min19sec
7.3	Vertical char length (mm)		20	20	20
7.5	Transitions from smoldering combustion to flaming combustion (Yes/No)		No	No	No
7.6	Obvious ignition (Yes/No)		No	No	No
7.7	Char length after 45 minutes is still growing or visible smoke is still emerging (Yes/No)		No	No	No
7.8	Procedure after 45 minutes	Any of the interior surfaces of the material are still glowing, visible smoke continues to be emitted for another 10 seconds, or the specimen transitions to flaming combustion (Yes/No)	No	No	No
		The formation of a cavity in the filling or padding or discoloration of the filling or padding is observed	Formation of a cavity Discoloration	Formation of a cavity Discoloration	Formation of a cavity Discoloration



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

SGS-CSTC (Shanghai) Co., Ltd.
Inspection & Testing Services
Softline Laboratory

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666
t (86-21) 61402666

f (86-21) 64958763
f (86-21) 64958763

www.sgsgroup.com.cn
sgs.china@sgs.com

Remark:

*: Cigarette self-extinguishes.

If a cigarette extinguishes before burning its entire length, a fresh cigarette shall be placed on a fresh area of the test assembly and covered with sheeting fabric until one of the following occurs:

- (1) Three cigarettes have burned their entire lengths on three individual test specimens.
- (2) Three cigarettes have self-extinguished on the sample.

#: Forcibly extinguished.

- (1) Clause 6.1.2.1: The test operator shall terminate a test prior to the 45 minute time limit if the vertical char length has exceeded the limit prescribed in Section 7.3.
- (2) Clause 6.1.2.2: The test operator shall terminate a test prior to the 45 minute time limit if the test specimen has transitioned to flaming combustion.
- (3) Clause 6.1.2.3: The test operator shall terminate a test prior to the 45 minute time limit if obvious ignition of the test specimen, in accordance with Section 7.2, has occurred.

Cigarette Resistance Classifications:

1. The test duration shall be 45 minutes from the time the lit cigarette is placed on the test specimen unless otherwise required by 6.1.2.

Clause 6.1.2: If the test is terminated before 45 minutes have elapsed due to any one of the reasons in 6.1.2.1 through 6.1.2.3, the material shall be designated Class II.

2. **Clause 7.1:** General.

(1) Clause 7.1.1: Furniture components shall be classified as Class I or Class II in accordance with Section 7.2 through Section 7.9.

(2) Clause 7.1.2: An upholstered furniture component shall meet all the requirements of a Class I material to be considered resistant to Cigarette ignition.

(3) Clause 7.1.3: Any material that does not meet all the requirements for a Class I material shall be designated a Class II material.

3. **Clause 7.2:** Evidence of Ignition. For this test method, the existence of pronounced, continuous, and self-sustaining combustion of the test system or the generation of a flame or smoke shall be evidence of ignition.

Clause 7.6: Obvious Ignition. A material shall be classified as Class II material if the test specimen exhibits obvious ignition by virtue of generating a visible flame or smoke (Section 7.2).

4. **Clause 7.3.1:** The maximum vertical char lengths for upholstered furniture components shall be as follows:

- (1) Cover fabrics: < 45 mm
- (2) Interior fabrics: < 38 mm
- (3) Welt cords: < 38 mm
- (4) Fillings or paddings: < 38 mm
- (5) Barrier materials: < 38 mm



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

SGS-CSTC (Shanghai) Technical Services (Shanghai) Co., Ltd.
Inspection & Testing Services
Softline Laboratory

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666
t (86-21) 61402666

f (86-21) 64958763
f (86-21) 64958763

www.sgsgroup.com.cn
sgs.china@sgs.com

Clause 7.3.2: The maximum horizontal char length for decking materials, as measured from the original position of the cigarette, shall be < 38 mm.

Clause 7.4: A material shall be classified as a Class II material if the test specimen exhibits a vertical char length that meets or exceeds the prescribed limit set forth in Section 7.3.

5. **Clause 7.5:** A material shall be classified as a Class II material if the test specimen transitions from smoldering combustion to flaming combustion.
6. **Clause 7.7:** A material shall be classified as a Class II material if, after 45 minutes have elapsed since the lit cigarette was placed on the test specimen, the char length is still growing or visible smoke is still emerging.
7. **Clause 7.8.1:** Procedure After 45 Minutes. If any of the interior surfaces of the material are still glowing, visible smoke continues to be emitted for another 10 seconds, or the specimen transitions to flaming combustion, the material shall be designated a Class II material.
8. **Clause 7.9:** If a material does not exhibit any of the criteria in Section 7.2 through 7.8.1, the material shall be designated a Class I material.

Conclusion: Class I.

#: This test was carried out by SGS-CSTC Standards Technical Services (ChangZhou) Co. Ltd.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (ChangZhou) Co. Ltd.
Softline Laboratory

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666
t (86-21) 61402666

f (86-21) 64958763
f (86-21) 64958763

www.sgsgroup.com.cn
sgs.china@sgs.com

Sample Photo



Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.

End of Report

Scan to see the report



SL52535371754701TX

Verification:
check.sgsonline.com.cn



SGS-CTC (China) Technical Service (Shanghai) Co., Ltd.
Softline Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666
t (86-21) 61402666

f (86-21) 64958763
f (86-21) 64958763

www.sgsgroup.com.cn
sgs.china@sgs.com