RICHLOOM SHANG HAI TRADING LTD
8F,FEIZHOU INTERNATIONAL QUAR NO.899,LINGLING ROAD

THIS REPORT SUPERSEDES TEST REPORT NO.SL526053090005O1TX DATE: 2026-04-17 ISSUED BY SGS (Shanghai), ORIGINAL REPORT WILL BE INVALID FROM TODAY.
UPDATED SAMPLE INFORMATION.

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description	:	(A)Knitted fabric in Available
Style No.	:	WESTHOLME
Buyer	:	USA
Manufacturer	:	RICHLOOM
Retest Previous No.	:	/
Proposed Care Instruction	:	-
Sample Receiving Date	:	Apr 10, 2026
Testing Period	:	Apr 10, 2026 - Apr 16, 2026
Test Result(s)	:	Unless otherwise stated the results shown in this test report refer only to the sample(s) tested, for further details, please refer to the following page(s).
Test Performed	:	Selected test(s) as requested by applicant

Conclusion	**A**	**Remark**
Flammability Test	Pass	
Cigarette Ignition Resistance of Components of Upholstered Furniture	*	

Remark(s) : Pass=Meet General's Requirement
*= No Specific Requirement

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd

Eric chen

Eric Chen (Authorized Signatory)

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Softline Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
3rd Building,No.889,Yishan Road,Xuhui District Shanghai,China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Test Result

Smolder Resistance Test of Materials Used in Upholstered Furniture
(California Technical Bulletin 117-2013)

Sample (A)

Test results

Specimen No.	Duration of smoldering (min:sec)	Open flaming (Yes/No)	Vertical char length (mm)	Comments
1	25min27sec	No	21	Pass
2	24min22sec	No	21	Pass
3	22min42sec	No	21	Pass

Pass/fail criteria:

1. A single mock-up test specimen fails to meet the requirements of this test procedure if any of the following criteria occurs:

a) The mock-up test specimen continues to smolder after the 45 minute test duration.
b) A vertical char length (measured as specified in step 11.9 of ASTM E1353-08a $^{\varepsilon 1}$) of more than 1.8 inches (45 mm) develops on the cover fabrics.
c) The mock-up test specimen transitions to open flaming.

2. The cover fabric passes the test if three initial mock-up specimens pass the test.
3. If more than one initial specimen fails, the cover fabric fails the test.
4. If any one of the three initial specimens fails, repeat the test on additional three specimens.
5. If all three additional specimens pass the test, the cover fabric passes the test. If any one of the additional three specimens fails, the cover fabric fails the test.

Conclusion:

The Submitted Sample **meets** the flammability requirements of Section 1 for Cover Fabric Test of California Technical Bulletin 117-2013.

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Softline Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
3rd Building,No.889,Yishan Road,Xuhui District Shanghai,China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Cigarette Ignition ResIstance of Components of Upholstered Furniture##
(NFPA 260:2024)
Sample (A)

Type:
Cover Fabric Test
Conditioning: All test upholstery fabrics and test materials, including cigarettes and including material, shall be conditioned at a temperature of 21℃±2.8℃ and a relative humidity of less than 65 percent for at least 4 hours prior to testIng.
Test results:

Specimen No.			1	2	3
Duration time (min: sec)			27min20sec	25min31sec	26min22sec
7.3	Vertical char length (mm)		19	19	19
7.5	Transitions from smoldering combustion to flaming combustion (Yes/No)		No	No	No
7.6	Obvious Ignition (Yes/No)		No	No	No
7.7	Char length after 45 minutes is still growing or visible smoke is still emerging (Yes/No)		No	No	No
7.8	Procedure after 45 minutes	Any of the Interior surfaces of the material are still glowing, visible smoke glowing to be emitted for another 10 seconds, or the specimen transitions to flaming combustion (Yes/No)	No	No	No
		The formation of a cavity In the filling or padding or discoloration of the filling or padding is observed	Formation of a cavity Discoloration	Formation of a cavity Discoloration	Formation of a cavity Discoloration

Remark:
***:** Cigarette self-extinguishes.
If a Cigarette extInguIshes before burnIng its entire length, a fresh cigarette shall be placed on a fresh area of the test assembly and covered with including fabric until one of the following occurs:
(1) Three cigarettes have burned their entire lengths on three individual test specimens.
(2) Three cigarettes have self-extinguished on the sample.
#: ForcIbly extinguished.
(1) Clause 6.1.2.1: The test operator shall terminate a test prior to the 45 minute time limit if the vertical char length has exceeded the limIt prescribed in Section 7.3.
(2) Clause 6.1.2.2: The test operator shall terminate a test prior to the 45 minute time limit if the test specimen has transItioned to flaming combustion.
(3) Clause 6.1.2.3: The test operator shall terminate a test prior to the 45 minute time limit if Obvious Ignition of the test specimen, in accordance wIth Section 7.2, has occurred.

检验检测专用章 Inspection & Testing Services
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Softline Laboratory
Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
3rd Building,No.889,Yishan Road,Xuhui District Shanghai,China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Cigarette Resistance Classifications:

1. The test duratIon shall be 45 minutes from the tIime the lit cigarette is placed on the test specimen unless otherwise required by 6.1.2.
   Clause6.1.2:
   If the test is terminated before 45 minutes have elapsed due to any one of the reasons in 6.1.2.1 through 6.1.2.3, the material shall be designated Class II.

2. **Clause 7.1:** General.
   (1) Clause 7.1.1: Furniture components shall be classified as Class I or Class II in accordance wIth Section 7.2 through Section 7.9.
   (2) Clause 7.1.2: An upholstered furniture component shall meet all the requirements of a Class I material to be considered resistant to Cigarette Ignition.
   (3) Clause 7.1.3: Any material that does not meet all the requirements for a Class I material shall be designated a Class II material.

3. **Clause 7.2:** Evidence of Ignition. For this test method, the existence of pronounced, continuous, and self-sustaining combustion of the test system or the generation of a flame or smoke shall be Evidence of Ignition.
   Clause 7.6: Obvious Ignition. A material shall be classified as Class II material If the test specimen exhibits Obvious Ignition by virtue of generating a visible flame or smoke (SectIon 7.2).

4. **Clause 7.3.1:** The maximum vertical char lengths for upholstered furniture components shall be as follows:
   (1) Cover fabrics: < 45 mm
   (2) Interior fabrics: < 38 mm
   (3) Welt cords: < 38 mm
   (4) Fillings or Paddings: < 38 mm
   (5) Barrier materials: < 38 mm
   Clause 7.3.2: The maximum horizontal char length for decking materials, as measured from the original position of the cigarette, shall be < 38 mm.
   Clause 7.4: A material shall be classified as a Class II material if the test specimen exhibits a vertical char length that meets or exceeds the prescribed limit set forth in SectIon 7.3.

5. **Clause 7.5:** A material shall be classified as a Class II material If the test specimen transitions from smoldering combustion to flaming combustion.
6. **Clause 7.7:** A material shall be classified as a Class II material if, after 45 minutes have elapsed since the lit cigarette was placed on the test specimen, the char length is still growing or visible smoke is still emerging.
7. **Clause 7.8.1:** Procedure After 45 Minutes. If any of the interior surfaces of the material are still glowing. visible smoke glowing to be emitted for another 10 seconds, or the specimen transitions to flaming combustion, the material shall be designated a Class II material.
8. **Clause 7.9:** If a material does not exhibit any of the criteria in SectIon 7.2 through 7.8.1, the material shall be designated a Class I material.

Conclusion: Class I

##: This test was carried out by SGS-CSTC Standards Technical Services Co.,Ltd (Changzhou) Branch.

检验检测专用章 Inspection & Testing Services
SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd. Softline Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
3rd Building,No.889,Yishan Road,Xuhui District Shanghai,China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 sgs.china@sgs.com
Member of the SGS Group (SGS SA)

Sample Photo



Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.

End of Report

Scan to see the report

SL52615312644601TX

Verification:
check.sgsonline.com.cn

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Softline Laboratory
3rd Building,No.889,Yishan Road,Xuhui District Shanghai,China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 sgs.china@sgs.com